



Experience is the solution

314 North Pearl Street ♦ Albany, New York 12207
(800) 848-4983 ♦ (518) 434-4546 ♦ Fax (518) 434-0891

December 03, 2025

Keith Domermuth
Berne Knox Westerlo School District
1738 Helderberg Trail
Berne, NY 12308

TEL: (518) 872-1117

Work Order No: 251125002
PO#: 210310

RE:
Elem Lead

Adirondack Environmental Services, Inc received 79 samples on 11/25/2025 for the analyses presented in the following report.

Please see case narrative for specifics on analysis.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

ELAP#: 10709

Tara Daniels
Laboratory Director

Adirondack Environmental Services, Inc

CASE NARRATIVE

Berne Knox Westerlo School District

Date: 03-Dec-25

Elem Lead

Lab WorkOrder: 251125002

Sample containers were supplied by Adirondack Environmental Services.

Definitions - RL: Reporting Limit DF: Dilution factor

Qualifiers:	ND : Not Detected at reporting limit	C: CCV below acceptable Limits
	J: Analyte detected below quantitation limit	C+: CCV above acceptable Limits
	B: Analyte detected in Blank	S: LCS Spike recovery is below acceptable limits
	X : Exceeds maximum contamination limit	S+: LCS Spike recovery is above acceptable limits
	H: Hold time exceeded	Z: Duplication outside acceptable limits
	N: Matrix Spike below acceptable limits	T : Tentatively Identified Compound-Estimated
	N+: Matrix Spike is above acceptable limits	E :Above quantitation range-Estimated

Note : All Results are reported as wet weight unless noted

The results relate only to the items tested. Information supplied by the client is assumed to be correct.

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:**
Elem Lead**PO#:** 210310**Lab SampleID:** 251125002-001**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 201 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 3:48:01 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-002**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 204 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 3:58:47 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-003**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 32 2nd Floor Boy's Room rig**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:02:23 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-004**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 206 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:05:59 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-005**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 32 2nd floor boys room left**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:16:46 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-006**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 207 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:20:23 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-007**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 205 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:24:00 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-008**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 32 2nd floor staff rr**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:27:38 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-009**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 206 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:31:16 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-010**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 210 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:34:49 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-011**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 210 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:38:23 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-012**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 200 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:49:07 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-013**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 200 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 4:59:52 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-014**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 205 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:03:27 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-015**Collection Date:** 11/24/2025 4:00:00 AM**Client Sample ID:** ES 204 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:07:03 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-016**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 32 2nd Floor girls right**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:10:39 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-017**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 32 2nd floor girls left**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:14:15 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-018**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 108 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:17:52 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-019**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 108 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:21:29 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-020**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES DF 32 2nd floor (East)**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:35 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:25:02 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:**
Elem Lead**PO#:** 210310**Lab SampleID:** 251125002-021**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 32 1st Floor DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:42:55 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-022**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 105 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:53:41 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-023**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 105 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 5:57:17 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-024**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 104 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:00:52 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-025**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 104 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:04:29 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-026**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 32 1st Floor Boys left**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:08:05 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-027**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 32 1st Floor boys right**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:11:42 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-028**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 31 1st floor girls left**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:15:16 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-029**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES supt office**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:26:01 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-030**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 32 1st floor girls right**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:29:35 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-031**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Nurse bathroom**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:33:10 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-032**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Nurse faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:43:55 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-033**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Main Office**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:47:30 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-034**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Art room faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:51:06 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-035**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Coaches office rest room**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:54:42 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-036**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 32 ground floor RR**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 6:58:19 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-037**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Cafe faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:09:06 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-038**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Cafe fountain**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:12:40 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-039**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Kitchen Cooks Sink**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:16:15 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-040**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Kitchen Rinse sink**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:38 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:19:50 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-041**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES kitchen sanitize sink**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:30:35 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-042**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES Kitchen wash sink**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:41:22 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-043**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES SS Girls room left**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:44:58 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-044**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES SS Girls room right**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:55:45 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-045**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES SS boys room right**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 7:59:22 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:**
Elem Lead**PO#:** 210310**Lab SampleID:** 251125002-046**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES SS Boys room left**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:02:57 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-047**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 220 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:06:32 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-048**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 220 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:10:07 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-049**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES SS Boys room middle**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:13:43 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-050**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 222 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:17:18 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:**
Elem Lead**PO#:** 210310**Lab SampleID:** 251125002-051**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 221 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:20:53 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-052**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 221 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:38:51 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-053**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 224 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:42:27 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-054**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 224 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:46:04 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-055**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 223 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:49:41 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:**
Elem Lead**PO#:** 210310**Lab SampleID:** 251125002-056**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 225 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:53:16 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-057**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 225 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 8:56:52 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-058**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 126 bathroom**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:00:28 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-059**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 126 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:04:03 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-060**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 126 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:40 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:07:39 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-061**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 125 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:25:36 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-062**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 125 Bathroom**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:36:25 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-063**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 125 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:40:02 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-064**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 127 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:43:38 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-065**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 127 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:47:14 PM
------	----	-----	--	------	---	----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:**
Elem Lead**PO#:** 210310**Lab SampleID:** 251125002-066**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 127 bathroom**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:50:50 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-067**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 124 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 9:54:26 PM
------	----	-----	--	------	---	----------------------

Lab SampleID: 251125002-068**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 124 Bathroom**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:05:12 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-069**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 122 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:08:48 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-070**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 122 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:12:24 PM
------	----	-----	--	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:**
Elem Lead**PO#:** 210310**Lab SampleID:** 251125002-071**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 122 Bathroom**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:16:00 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-072**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 55 Hall 1st floor DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:26:49 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-073**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 123 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:30:26 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-074**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 123 Restroom**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:34:02 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-075**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 123 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:37:38 PM
------	----	-----	--	------	---	-----------------------

Adirondack Environmental Services, Inc

Date: 03-Dec-25

CLIENT: Berne Knox Westerlo School District**LabWork Order:** 251125002**Project:****PO#:** 210310

Elem Lead

Lab SampleID: 251125002-076**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 121 Faucet**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:48:25 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-077**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 121 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:52:01 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-078**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 117 DF**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:55:37 PM
------	----	-----	--	------	---	-----------------------

Lab SampleID: 251125002-079**Collection Date:** 11/24/2025 6:00:00 AM**Client Sample ID:** ES 117 Restroom**Matrix:** DRINKING WATER

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

ICP/MS - EPA 200.8 REV 5.4Analyst: **SM**

(Prep: - 11/25/2025 11:09:42 AM)

Lead	ND	1.0		µg/L	1	12/2/2025 10:59:13 PM
------	----	-----	--	------	---	-----------------------



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Berne-Knox-Western Address: 1739 Helderberg trail Berne NY 12023
CSD (BKWCSO)
Send Report to: Keith Demermuth Project Name (Location): Elem Lead Samplers Name: Keith Demermuth
Client Phone #: 518-833-202-0697 Client PO #: Samplers Signature: [Signature]
Client Email: Keith.demermuth@bkwschools.org

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
001	ES 201 Faucet	11/24/25	4	P					Lead
002	ES 204 DF			P					
003	ES 32 nd Floor Boys Room Right			P					
004	ES 206 DF			P					
005	ES 32 nd Floor Boys Room Left			P					
006	ES 207 DF			P					
007	ES 205 Faucet			P					
008	ES 32 nd Floor Staff RA			P					
009	ES 206 Faucet			P					
010	ES 210 DF			P					
011	ES 210 Faucet			P					
012	ES 200 DF			P					
013	ES 200 Faucet			P					
014	ES 205 DF			P					
015	ES 204 Faucet			P					

Shipment Arrived Via: FedEx UPS Client AES Other: _____
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard
NOTE: Samples received after 3:30pm are considered next business day.
Relinquished by: (Signature) _____ Received by: (Signature) _____ Date _____ Time _____
Relinquished by: (Signature) _____ Received by: (Signature) _____ Date _____ Time _____
Relinquished by: (Signature) _____ Received for Laboratory by: _____ Date 11/25/25 Time 8:57
Sample Temperature: Ambient ~ Chilled ~ Chilling Begun
Notes: 16
Custody Seal Intact: Y / N
Bottles AES: Y / N
Properly Preserved: Y / N
0=None 5=NH₄Cl
1=H₂SO₄ pH<2 6=Ascorbic Acid
2=HNO₃ pH<2 7=FAS
3=HCl pH<2 8=ZnAc/NaOH pH>9
4=Na₂S₂O₃ 9=NaOH pH>10
10=Other _____
Received Within Holding Times: Y / N
Notes: _____



251125002



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#:

2S112S00Z

COC Reference:

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>Berne-Knox-Western</u>		Address: <u>1738 Helderberg Trail Berne NY 12022</u>							
Send Report to: <u>Keith Domermuth</u>		Project Name (Location): <u>ES Lead</u>				Samplers Name: <u>Keith Domermuth</u>			
Client Phone #: <u>838-302-0687</u>		Client PO #:				Samplers Signature: 			
Client Email: <u>Keith.domermuth@bkwschools.org</u>									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
016	ES 32 2 nd Floor girls Right	11/24/05	4:47	P					
017	ES 32 2 nd Floor girls Left			P					
018	ES 108 Faucet			P					
019	ES 108 DF			P					
020	ES DF 32 2 nd Floor (East)			P					
021	ES 32 1 st Floor DF			P					
022	ES 105 Faucet			P					
023	ES 105 DF			P					
024	ES 104 DF			P					
025	ES 104 Faucet			P					
026	ES 32 1 st Floor boys Left			P					
027	ES 32 1 st Floor boys Right			P					
028	ES 32 1 st Floor girls Left			P					
029	ES 504 Office			P					
030	ES 32 1 st Floor girls Right			P					
Shipment Arrived Via: FedEx UPS Client AES Other:				Special Instructions/Remarks:					
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day Standard									
NOTE: Samples received after 3:30pm are considered next business day.									
Relinquished by: (Signature)				Received by: (Signature)				Date	Time
Relinquished by: (Signature)				Received by: (Signature)				Date	Time
Relinquished by: (Signature)				Received for Laboratory by:				Date	Time
								11/25/05	8:57
Sample Temperature Ambient ~ Chilled ~ Chilling Begun				Properly Preserved: Y/N				Received Within Holding Times: Y/N	
Notes:				0=None 1=H ₂ SO ₄ pH<2 2=HNO ₃ pH<2 3=HCl pH<2 4=Na ₂ S ₂ O ₃				Notes:	
Custody Seal Intact: Y/N				5=NH ₄ Cl 6=Ascorbic Acid 7=FAS 8=ZnAc/NaOH pH>9 9=NaOH pH>10 10=Other					
Bottles AES: Y/N									



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#:

251125002

COC Reference:

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: <u>Berne-Knox-Western CSO</u>		Address: <u>1738 Heidelberg Trail Berne NY 1223</u>							
Send Report to: <u>Keith Oomermuth</u>		Project Name (Location): <u>Elem Lead</u>				Samplers Name: <u>Keith Oomermuth</u>			
Client Phone #:		Client PO #:				Samplers Signature: <u>[Signature]</u>			
Client Email:									
AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
031	ES Nurse Bathroom	11/24/25	4:36 P						
032	ES Nurse Faucet								
033	ES main office								
034	ES Art Room Faucet								
035	ES rest ^{Coach's Office} Rest Room								
036	ES 32 ground floor RR								
037	ES cafe Faucet								
038	ES Cafe fountain								
039	ES Kitchen cooks sink								
040	ES Kitchen ansic sink								
041	ES Kitchen sanitize sink								
042	ES Kitchen wash sink								
043	ES SS girls Room Left								
044	ES SS girls Room Right								
045	ES SS Boys Room Right								
Shipment Arrived Via: <u>FedEx</u> <u>UPS</u> <u>Client</u> <u>AES</u> <u>Other</u> :				Special Instructions/Remarks:					
Turnaround Time Requested: 1 Day 2 Day 3 Day 5 Day <u>Standard</u>				NOTE: Samples received after 3:30pm are considered next business day.					
Relinquished by: (Signature)				Received by: (Signature)				Date	Time
Relinquished by: (Signature)				Received by: (Signature)				Date	Time
Relinquished by: (Signature)				Received for Laboratory by: <u>[Signature]</u>				Date <u>11/25/25</u>	Time <u>8:57</u>
Sample Temperature Ambient ~ Chilled ~ Chilling Begun Notes: <u>16</u>				Properly Preserved: <u>Y</u> <u>N</u> 0=None 1=H ₂ SO ₄ pH<2 2=HNO ₃ pH<2 3=HCl pH<2 4=Na ₂ S ₂ O ₃ 5=NH ₄ Cl 6=Ascorbic Acid 7=FAS 8=ZnAc/NaOH pH>9 9=NaOH pH>10 10=Other				Received Within Holding Times: <u>Y</u> <u>N</u> Notes:	
Custody Seal Intact: <u>Y</u> <u>N</u>									
Bottles AES: <u>Y</u> <u>N</u>									



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

CHAIN OF CUSTODY RECORD

AES Work Order#:

251175002

COC Reference:

A full service analytical research laboratory offering solutions to environmental concerns

Client Name:	Berne-Knox-Western CSO		Address:	1738 Helderberg Trail Berne NY 12023	
Send Report to:	Keith Omermuth		Project Name (Location):	Elem Lead	
Client Phone #:	838-202-0682		Client PO #:		
Client Email:	Keith.Omermuth@adire.com		Samplers Name:	Keith Omermuth	
			Samplers Signature:		

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
046	ES 55 Boys Room Left	11/24/25	4-6	P					
047	ES 200 Faucet			A					
048	ES 200 DF			A					
049	ES 55 Boys Room middle			A					
050	ES 222 Faucet			A					
051	ES 221 Faucet			A					
052	ES 221 DF			A					
053	ES 224 Faucet			A					
054	ES 224 DF			A					
055	ES 223 Faucet			A					
056	ES 225 Faucet			A					
057	ES 225 DF			A					
058	ES 126 Bathroom			A					
059	ES 126 DF			A					
060	ES 126 Faucet			A					

Shipment Arrived Via: Client
FedEx UPS Client AES Other:

Special Instructions/Remarks:

Turnaround Time Requested:

1 Day 2 Day 3 Day 5 Day Standard

NOTE: Samples received after 3:30pm are considered next business day.

Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received for Laboratory by:	Date	Time

Sample Temperature Ambient Chilled ~ Chilling Begun	Properly Preserved: Y / N 0=None 1=H ₂ SO ₄ pH<2 2=HNO ₃ pH<2 3=HCl pH<2 4=Na ₂ S ₂ O ₃ 5=NH ₄ Cl 6=Ascorbic Acid 7=FAS 8=ZnAc/NaOH pH>9 9=NaOH pH>10 10=Other	Received Within Holding Times: Y / N
Notes:		Notes:
Custody Seal Intact: Y / N		
Bottles AES: Y / N		



314 North Pearl Street
Albany, NY 12207
518-434-4546 / FAX: 518-434-0891

EXPERIENCE IS THE SOLUTION

5046

CHAIN OF CUSTODY RECORD

AES Work Order#:

2S112S002

COC Reference:

A full service analytical research laboratory offering solutions to environmental concerns

Client Name: Gerne-Knox-Western CSO	Address: 1738 Helderberg Trail Berne NY 12023	
Send Report to: Keith Domermuth	Project Name (Location): Elem Lead	Samplers Name: Keith Domermuth
Client Phone #: 838-202-0682	Client PO #:	Samplers Signature:
Client Email: Keith.domermuth@bkwschools.org		

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type			# of Cont's	Preservative	Analysis
				Matrix	C	G			
0101	ES 125 Faucet	11/24/25	4:46	P					
0102	ES 125 Bathroom			A					
0103	ES 125 OF			P					
0104	ES 127 Faucet			A					
0105	ES 127 OF			P					
0106	ES 127 Bathroom			A					
0107	ES 124 Faucet			P					
0108	ES 124 Bathroom			A					
0109	ES 122 OF			P					
0110	ES 122 Faucet			A					
0111	ES 122 Bathroom			P					
0112	ES 55 Hall 1st Floor OF			A					
0113	ES 123 OF			P					
0114	ES 123 Restroom			A					
0115	ES 123 Faucet			P					

Shipment Arrived Via: FedEx UPS Client AES Other:

Special Instructions/Remarks:


Turnaround Time Requested:

1 Day 2 Day 3 Day 5 Day Standard

NOTE: Samples received after 3:30pm are considered next business day.

Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	Received for Laboratory by	Date	Time

Sample Temperature Ambient ~ Chilled ~ Chilling Begun Notes:	Properly Preserved <u>Y</u> / N 0=None 1=H ₂ SO ₄ pH<2 2=HNO ₃ pH<2 3=HCl pH<2 4=Na ₂ S ₂ O ₃ 5=NH ₄ Cl 6=Ascorbic Acid 7=FAS 8=ZnAc/NaOH pH>9 9=NaOH pH>10 10=Other	Received Within Holding Times: <u>Y</u> / N Notes:
Custody Seal Intact: <u>Y</u> / N		
Bottles AES: <u>Y</u> / N		



CHAIN OF CUSTODY RECORD

AES Work Order#:

200S211S2

COC Reference:

A full service analytical research laboratory offering solutions to environmental concerns

Client Name:	Address:	
Berne Knox Westerlo (SD)	1738 Helderberg Hwy, Berne NY 12023	
Send Report to:	Project Name (Location):	Samplers Name:
Keith Domermuth	Elm Lead	Keith Domermuth
Client Phone #: 838-202-0687	Client PO #:	Samplers Signature:
Client Email: Keith.domermuth@bkwschools.org		

AES Sample Number	Client Sample Identification & Location	Date Sampled	Time A=am P=pm	Sample Type	# of Cont's	Preser- vative	Analysis
				Matrix C G			
076	ES121 Faucet	11/24	4-6	P			
	ES121 DF			A			
				P			
077	ES121 DF			A			
				P			
078	ES117 DF			A			
				P			
	ES117 Restroom			A			
079	ES117 Restroom			P			
				A			
				P			
.				A			
				P			
				A			
				P			
				A			
				P			
				A			
				P			
				A			
				P			

Shipment Arrived Via: Client
FedEx UPS Client AES Other:

Special Instructions/Remarks:

Turnaround Time Requested:

1 Day	2 Day	3 Day	5 Day	Standard
-------	-------	-------	-------	----------

NOTE: Samples received after 3:30pm are considered next business day.

Relinquished by: (Signature)		Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Received for Laboratory by:		Date	Time
Sample Temperature Ambient ~ Chilled ~ Chilling Begun Notes: <i>16</i>		Properly Preserved: Y / N 0=None 1=H ₂ SO ₄ pH<2 2=HNO ₃ pH<2 3=HCl pH<2 4=Na ₂ S ₂ O ₃ 5=NH ₄ Cl 6=Ascorbic Acid 7=FAS 8=ZnAc/NaOH pH>9 9=NaOH pH>10 10=Other _____		Received Within Holding Times: Y / N Notes:	
Custody Seal Intact: Y / N					
Bottles AES: Y / N					



Experience is the solution

314 North Pearl Street • Albany, New York 12207 • (518) 434-4546 • Fax (518) 434-0891

TERMS, CONDITIONS & LIMITATIONS

All service rendered by the **Adirondack Environmental Services, Inc.** are undertaken and all rates are based upon the following terms:

- (a) Neither **Adirondack Environmental Services, Inc.**, nor any of its employees, agents or sub-contractors shall be liable for any loss or damage arising out of **Adirondack Environmental Services, Inc.**'s performance or nonperformance, whether by way of negligence or breach of contract, or otherwise, in any amount greater than twice the amount billed to the customer for the work leading to the claim of the customer. Said remedy shall be the sole and exclusive remedy against **Adirondack Environmental Services, Inc.** arising out of its work.
- (b) All claims made must be in writing within forty-five (45) days after delivery of the **Adirondack Environmental Services, Inc.** report regarding said work or such claim shall be deemed or irrevocably waived.
- (c) **Adirondack Environmental Services, Inc.** reports are submitted in writing and are for our customers only. Our customers are considered to be only those entities being billed for our services. Acquisition of an **Adirondack Environmental Services, Inc.** report by other than our customer does not constitute a representation of **Adirondack Environmental Services, Inc.** as to the accuracy of the contents thereof.
- (d) In no event shall **Adirondack Environmental Services, Inc.**, its employees, agents or sub-contractors be responsible for consequential or special damages of any kind or in any amount.
- (e) No deviation from the terms set forth herein shall bind **Adirondack Environmental Services, Inc.** unless in writing and signed by a Director of **Adirondack Environmental Services, Inc.**
- (f) Results pertain only to items analyzed. Information supplied by client is assumed to be correct. This information may be used on reports and in calculations and **Adirondack Environmental Services, Inc.** is not responsible for the accuracy of this information.
- (g) Payments by Credit Card/Purchase Cards are subject to a 3% additional charge.